



# SAFETY DATA SHEET

EverStain™ Acid Stain (Desert Amber)

Revision Date 5/26/2021

## SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name** EverStain™ Acid Stain (Desert Amber) **Item**

**Product Use** Concrete Stain & Dye

**Company Name** Direct Colors LLC **Office** (877) 255-2656 ext.1  
 430 E 10th St  
 Shawnee OK 74801 **Web** [www.DirectColors.com](http://www.DirectColors.com)

**EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053**

## SECTION – 2 HAZARDS INFORMATION

**Pictogram**



**Signal Word** Danger

**Hazards** PHYSICAL / HEALTH / ENVIRONMENTAL HAZARD STATEMENTS

May be corrosive to metals  
 Harmful if swallowed  
 Causes severe skin burns and eye damage  
 May cause an allergic skin reaction  
 Causes serious eye damage  
 Harmful if inhaled  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled  
 May cause respiratory irritation  
 May cause genetic defects  
 May cause cancer  
 May damage fertility or the unborn child  
 Toxic to aquatic life  
 Toxic to aquatic life with long lasting effects  
 Causes damage to organs through prolonged or repeated exposure  
*kidneys, liver*

HAZARD CATEGORY CLASSIFICATION CODE

Category 1 Corrosive to Metals H290  
 Category 4 Acute Toxicity (Oral) H302  
 Category 1B Skin & Eye (Corrosion) H314  
 Category 1 Sensitization (Skin) H317  
 Category 1 Eye (Damage / Irritation) H318  
 Category 4 Acute Toxicity (Inhaled) DM H332  
 Category 1 Sensitization (Respiratory) H334  
 Category 3 STOT Single Exposure H335  
 Category 1 Germ Cell Mutagenicity H340  
 Category 1 Carcinogenicity H350  
 Category 1 Toxic To Reproduction H360  
 Category 2 Acute Toxicity (Aquatic) H401  
 Category 2 Chronic Toxicity (Aquatic) H411  
 Category 1 STOT Repeat Exposure H372

**Precautions** HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL

Keep out of reach of children  
 Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Keep only in original container  
 Avoid breathing dust / fume / gas / mist / vapours / spray  
 Do not get in eyes, on skin, or on clothing  
 Wash thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Use only outdoors or in a well-ventilated area  
 Contaminated work clothing should not be allowed out of the workplace  
 Avoid release to the environment  
 Wear protective gloves / protective clothing / eye protection / face protection  
 In case of inadequate ventilation wear respiratory protection  
 Absorb spillage to prevent material damage  
 Collect spillage  
 Store in a well-ventilated place, Store locked up, Keep container tightly closed  
 Store in corrosive resistant container  
 Dispose of material in accordance with all State and Federal Guidelines and Regulations

CODE

P102  
 P201  
 P202  
 P234  
 P261  
 P262  
 P264  
 P270  
 P271  
 P272  
 P273  
 P280  
 P285  
 P390  
 P391  
 P403+P405+P233  
 P406  
 P501

## SECTION – 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
Hydrochloric Acid	Muriatic Acid	7647-01-0	Water < 70%	1 - 15%
Iron(III) Chloride	Ferric Chloride Anhydrous	7705-08-0		1 - 20%
Sodium Dichromate	Sodium Dichromate Dihydrate ; Sodium Bichromate	7789-12-0		1 - 20%

**SECTION – 4 FIRST AID MEASURES**

<b>Eye Contact</b>	Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, Obtain immediate medical attention, preferably from an ophthalmologist or Emergency Room
<b>Skin Contact</b>	Immediately wash contaminated skin with a nonabrasive soap and plenty of water for at least 15 minutes, Be sure to remove any contaminated clothing and wash before reuse, If irritation is present or occurs obtain medical attention
<b>Inhaled</b>	Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention, If breathing is difficult, oxygen or artificial respiration should be administered by qualified personnel
<b>Ingested</b>	DO NOT INDUCE VOMITING, unless directed to do so by medical personnel, If person is fully conscious, rinse mouth with water, and drink small quantities of water, Call a physician, or poison control center, and get medical attention, If victim feels nauseous stop drinking, If vomiting occurs, keep head below hips to prevent aspiration into the lungs
<b>Important Effects</b>	Exposure can / may affect, eyes, kidneys, liver, respiratory system, skin
<b>Important Symptoms</b>	Symptoms may include, allergic skin reactions, liver or kidney irregularities, corrosive burns to skin or eyes, allergic asthmatic breathing reactions

**SECTION – 5 FIRE FIGHTING MEASURES**

<b>Extinguishing Media</b>	Not flammable: Use extinguishing media for surrounding fire
<b>Explosion Hazard</b>	Not applicable
<b>Hazardous Decomposition</b>	Burning or thermal decomposition can produce, chlorine, hydrogen chloride gas, Iron oxides
<b>Protective Equipment</b>	Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

**SECTION – 6 ACCIDENTAL RELEASE MEASURES**

<b>Emergency Procedures</b>	Warn personnel of spill, Stop spill or release only if it can be done safely, Keep unprotected personnel from entering the hazard area, Ventilate area
<b>Personal Precautions</b>	Follow all safety precautions, Wear Personal Protective Equipment, Do not walk through spill
<b>Protective Equipment</b>	Safety Glasses, Gloves, Chemical Apron, Rubber Boots
<b>Containment</b>	Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the environment, NOTE: Organic spill kits that contain Floor-Dri, kitty litter, or sand should NOT be used because Hydrogen Fluoride reacts with silica to produce silicon tetrafluoride, a toxic gas
<b>Clean Up Procedures</b>	Neutralize spill with soda ash, lime, sodium bicarbonate, or a spill absorbent specified for Hydrogen Fluoride. With clean shovel, carefully place material into clean appropriate waste disposal unit. Flush spill area with water, NOTE: Neutralized Hydrofluoric Acid can still be Toxic, observe all safety precautions
<b>Disposal</b>	Dispose of material in accordance with all State and Federal Guidelines and Regulations

**SECTION – 7 HANDLING AND STORAGE**

<b>Handling</b>	Do not get in eyes, on skin, or clothing, Avoid breathing mist, vapors or fumes, Use appropriate safety equipment, and adequate ventilation, Do not smoke, eat or drink while using, Wash thoroughly with soap and water after handling, Avoid release to the environment
<b>Storage</b>	Keep container closed when not in use, Store in a cool place away from incompatible materials, Store in corrosive resistant container
<b>Incompatible Materials</b>	Incompatible with, amines, bases, hexalithium disilicide, metal acetylides, permanganates, strong oxidizing agents, alkaline earth metals

**SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA (TWA 8)	OSHA (CEIL)	NIOSH (TWA 10)	NIOSH (STEL)	Significant Exposure
Hydrochloric Acid		2 ppm (CEIL)		5 ppm (7 mg/m <sup>3</sup> )		5 ppm (CEIL)	ED,SD,RT
Iron(III) Chloride			(as Fe) 1 mg/m <sup>3</sup>				
Sodium Dichromate	(as Cr) 0.05 mg/m <sup>3</sup>	(as Cr VI) 0.001 mg/m <sup>3</sup>	(as Cr) 0.005 mg/m <sup>3</sup>	(as Cr VI) 0.001 mg/m <sup>3</sup>	(as Cr) 0.001 mg/m <sup>3</sup>		

**PERSONAL PROTECTION**

<b>Eyes</b>	Wear safety glasses or goggles or face shield when handling / using this material
<b>Hands</b>	Wear chemical resistant impervious gloves when handling / using this material
<b>Lungs</b>	Wear a MSHA / NIOSH approved respirator at or above listed TLV's or if irritation is experienced
<b>Body</b>	"If Situation Requires" - Wear chemical resistant impervious protective clothing if exposure is considered to be likely when handling / using this material
<b>Feet</b>	"If Situation Requires" - Wear chemical resistant impervious footwear if exposure is considered to be likely when handling / using this material
<b>Response</b>	Access to a drench shower with eye wash station is a recommended safety precaution for handling / using this type of material
<b>Ventilation</b>	Ventilate to keep vapors of this material below the lowest ppm listed above, If over Threshold Limit Value use a MSHA / NIOSH approved respirator for organic vapor, supplied air or self-contained breathing apparatus

**HMS HAZARD RATINGS**

Health	3
Flammability	0
Reactivity	0
Personal Protection	H

**SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES**

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	~ 1.152
Flammable Limits (v)	ND	pH (± 0.3)	< 2.0
Auto-Ignition Temp.	ND	Viscosity (mm <sup>2</sup> s / cSt)	ND
Physical State	Liquid	Melting Point	ND
Appearance	Amber	Boiling Point	ND
Odor	Acidic	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mmHg)	ND
Solubility	< 93%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 90%	Partition Coefficient	ND
VOC	0%	Molecular Weight (g/mol)	~ 40.34
LVP-VOC	0%	Decomposition Temperature	ND

**SECTION – 10 STABILITY AND REACTIVITY**

Chemical Stability	Stable under normal ambient and anticipated conditions of use
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, amines, bases, hexalithium disilicide, metal acetylides, permanganates, strong oxidizing agents, alkaline earth metals
Hazardous Decomposition	Burning or thermal decomposition can produce, chlorine, hydrogen chloride gas, Iron oxides

**SECTION – 11 TOXICOLOGICAL INFORMATION****ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Ingestion (Yes), Inhalation (Yes)

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

Eyes	Causes serious eye damage
Skin	May cause allergic skin reaction, Can cause serious skin damage
Inhalation	Harmful if inhaled, Mist, vapor or fumes may cause, respiratory irritation, allergic reactions, breathing difficulties
Ingestion	Harmful if swallowed, May affect target organs

**CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE**

Eyes	Causes serious eye damage, corneal injury, partial or complete blindness
Skin	May cause allergic skin reaction, Causes serious skin damage, ulcerations, corrosive burns
Inhalation	Harmful if inhaled, Mist, vapor or fumes may cause, respiratory irritation, allergic reactions, asthmatic symptoms, May affect target organs, respiratory system, liver, kidneys
Ingestion	Harmful if swallowed, Ingestion may affect, liver, kidneys, respiratory system, Symptoms may include, nausea, vomiting, abdominal pain, liver or kidney irregularities

Acute Tox Calculated	Oral:	600 mg/kg	Dermal:	12,195 mg/kg	Inhaled:	1.7 mg/l
----------------------	-------	-----------	---------	--------------	----------	----------

Acute Tox Category	Category 4 (Oral >300, ≤2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Category 4 (Inhaled >1.0, ≤5 mg/l) Dust or Mist
--------------------	---

**Additional Info**

Target Organs	Kidneys, Liver, Mucous Membranes, Skin, Eyes, Respiratory System
Medical Conditions	Preexisting, skin, liver, kidney, respiratory, mucous membranes, disorders may be aggravated by exposure to this product
Notes to Physician	Treat symptoms, No specific recommendations known

**CARCINOGENIC – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
Sodium Dichromate	K (Known to be)	A1 (Confirmed for human)	1 (Proven for human)	Category 1B

**MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
Sodium Dichromate	Yes	Yes

**COMPONENTS ACUTE TOXICITY**

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Hydrochloric Acid	LD50	Oral	Rat	700 mg/kg	4 Hours (Mist)	4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rat	5,010 mg/kg		(>2000 mg/kg)
	LC50	Inhaled	Rat	781 mg/l		(>20 mg/l)
Iron(III) Chloride	LD50	Oral	Rat	316 mg/kg	4 Hours (Mist)	4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rat	> 2,000 mg/kg		(>2000 mg/kg)
Sodium Dichromate	LD50	Oral	Rat	50 mg/kg	4 Hour (Dust)	2 (>5, ≤50 mg/kg)
	LC50	Inhaled	Rat	0.124 mg/l		1 (≤0.05 mg/l)
	LD50	Dermal	Rabbit	1000 mg/kg		4 (>1000, ≤2000 mg/kg)


**SECTION – 12 ECOLOGICAL INFORMATION**

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Hydrochloric Acid	LC50	Mosquito Fish	(Gambusia affinis)	282 mg/l	96 Hours	4 (>100 mg/l)
Iron(III) Chloride	LC50	Bluegill	(Lepomis macrochirus)	20.3 mg/l	96 Hours	3 (>10, ≤100 mg/l)
	EC50	Water flea	(Daphnia magna)	12.9 mg/l	48 Hours	3 (>10, ≤100 mg/l)
Sodium Dichromate	LC50	Fathead Minnow	(Pimephales promelas)	33.2 mg/l	96 Hours	3 (>10, ≤100 mg/l)
	EC50	Green Algae	(Selenastrum capricorn)	0.217 mg/l	96 Hours	1 (≤1 mg/l)
	EC50	Water Flea	(Daphnia magna)	0.112 mg/l	48 Hours	1 (≤1 mg/l)
<b>Presistence And Degradability</b>	When released into the soil, this material is not expected to biodegrade					
<b>Bioaccumulative Potential</b>	Has low potential for bioaccumulation due to its high solubility in water					
<b>Mobility In Soil</b>	This material is a mobile liquid					
<b>Other Adverse Effects</b>	Toxic to aquatic life with long lasting effects					

**SECTION – 13 DISPOSAL CONSIDERATIONS**

<b>Disposal Statement</b>	DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations
<b>Container Disposal</b>	Empty containers retain product residue (vapors, liquid or solid) observe all precautions when handling, Empty drums should be returned to distributor or taken to an approved waste handling site for recycling or disposal
<b>Material Disposal</b>	This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations (40 CFR 261) due to its composition containing in some or all of its components, Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste, Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

**SECTION – 14 TRANSPORT INFORMATION****DOT CLASSIFICATION**

<b>UN Number</b>	<b>Proper Shipping Name</b> n.o.s. ( Chemicals ) or "Limits"					
UN 3264	CORROSIVE, LIQUID, ACIDIC, INORGANIC, n.o.s.(Hydrochloric Acid, Sodium Dichromate)					
<b>Hazard Class</b>	<b>Packing Group</b>	<b>Label Codes</b>	<b>Reportable Quantity (lb)</b>	<b>Response</b>	<b>Marine Pollutant</b>	<b>Hazard Label</b>
8	II	Corrosive Liquid	> (40,000)	154	No	
<b>Additional Info:</b>						

**SECTION – 15 REGULATORY INFORMATION****TSCA**

<u>CHEMICAL NAME</u>	<u>Sec 8(b) Active Inventory</u>	<u>Sec 8(d) Health And Safety</u>	<u>Sec 4(a) Chemical Test Rules</u>	<u>Sec 12(b) Export Notification</u>
Hydrochloric Acid	Yes			
Iron(III) Chloride	Yes			
Sodium Dichromate	Yes			

**REPORTABLE QUANTITIES**

<u>CHEMICAL NAME</u>	<u>Extremely Hazardous</u>		<u>Reportable Quantity</u>	<u>Emission Reporting</u>		
	<u>EPCRA TPQ Sec 302</u>	<u>EPCRA RQ Sec 304</u>	<u>CERCLA RQ Sec 103</u>	<u>TRI Sec 313</u>	<u>RCRA Code</u>	<u>RMP TQ Sec 112r</u>
Hydrochloric Acid			5000			
Iron(III) Chloride			1000			
Sodium Dichromate				Yes		

**SARA**

<u>CHEMICAL NAME</u>	<u>Section 311</u>			<u>Section 311 / 312 Hazards</u>			
	<u>Hazardous Chemical</u>	<u>Acute</u>	<u>Chronic</u>	<u>Flammable</u>	<u>Pressure</u>	<u>Reactive</u>	
Hydrochloric Acid	Yes	Yes					
Iron(III) Chloride	Yes	Yes					
Sodium Dichromate	Yes	Yes	Yes			Yes	

**RIGHT TO KNOW**

<u>CHEMICAL NAME</u>	<u>STATE</u>													
	<u>CA</u>	<u>CT</u>	<u>FL</u>	<u>IL</u>	<u>LA</u>	<u>NJ</u>	<u>NY</u>	<u>PA</u>	<u>MI</u>	<u>MN</u>	<u>MA</u>	<u>RI</u>	<u>WI</u>	
Hydrochloric Acid	Yes				Yes	Yes	Yes	Yes		Yes	Yes	Yes		
Iron(III) Chloride	Yes					Yes		Yes			Yes	Yes		
Sodium Dichromate								Yes						

**CALIFORNIA**

**WARNING:** This Product can expose you to chemicals (Listed below) known to the State of California to cause cancer, birth defects or reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>Birth Defects</u>	<u>Reproductive Harm</u>	<u>Carcinogen</u>	<u>Developmental</u>
Chromium Compounds				Yes	

CLEAN AIR WATER ACTS		Clean Air Acts			Clean Water Acts		
CHEMICAL NAME	CAS #	HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
Hydrochloric Acid	7647-01-0	Yes					

**INTERNATIONAL REGULATIONS** – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
Hydrochloric Acid	Yes	Yes	Yes	Yes	Yes	Yes
Iron(III) Chloride	Yes	Yes	Yes	Yes	Yes	Yes

**SECTION – 16 OTHER INFORMATION**

**SDS LEGEND DESCRIPTION**

~	Approximately	<b>KD</b>	Kidney Damage (nephropathy)
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	<b>LC50</b>	A concentration that is lethal to 50% of a given species in a given time
<b>CAS</b>	Chemical Abstracts Service Registry	<b>LD50</b>	Dose that is lethal to 50% of a given species by a given route of exposure
<b>CEIL</b>	Ceiling Limit (15 minutes)	<b>LEL</b>	Lower Explosive Limit
<b>CERCL</b>	Comprehensive Environmental Response, Compensation, and Liability Act	<b>LD</b>	Liver Damage
<b>CI</b>	Cochlear Impairment	<b>NA</b>	Not Applicable
<b>CNS</b>	Central Nervous System	<b>ND</b>	Not Determined
<b>EC50</b>	Concentration of a chemical that gives half-maximal response	<b>NE</b>	Not Established
<b>EPA</b>	Environmental Protection Agency	<b>NFPA</b>	National Fire Protection Association
<b>Eye</b>	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>FBG</b>	Full Bunker Gear	<b>NTP</b>	National Toxicology Program
<b>GHS</b>	Globally Harmonized System	<b>OSHA</b>	Occupational Safety and Health Administration
<b>HAP</b>	California Hazardous Air Pollutant Clean Air Act	<b>PEL</b>	Permissible Exposure Limit (OSHA)
<b>HMIS-A</b>	Safety glasses	<b>PNS</b>	Peripheral Nervous System
<b>HMIS-B</b>	Safety glasses, gloves	<b>PP</b>	California Priority Pollutant under the Clean Water Act
<b>HMIS-C</b>	Safety glasses, gloves, chemical apron	<b>REL</b>	Recommended exposure limit (NIOSH)
<b>HMIS-D</b>	Face shield, gloves, chemical apron	<b>RT</b>	Upper Respiratory Tract
<b>HMIS-E</b>	Safety glasses, gloves, dust respirator	<b>Skin</b>	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
<b>HMIS-F</b>	Safety glasses, gloves, chemical apron, dust respirator	<b>SARA</b>	Superfund Amendments and Reauthorization Act
<b>HMIS-G</b>	Safety glasses, gloves, vapor respirator	<b>STEL</b>	Short Term Exposure Limit (15 minutes)
<b>HMIS-H</b>	Splash goggles, gloves, chemical apron, vapor respirator	<b>TC Lo</b>	Lowest concentration that is toxic to a given species in a given time
<b>HMIS-I</b>	Safety glasses, gloves, dust and vapor respirator	<b>TD Lo</b>	Lowest dose that is toxic to a given species
<b>HMIS-J</b>	Splash goggles, gloves, chemical apron, dust and vapor respirator	<b>TLV</b>	Threshold Limit Value (ACGIH)
<b>HMIS-K</b>	Air line hood or mask, gloves, full chemical suit, boots	<b>TP</b>	California Toxic Pollutant under the Clean Water Act
<b>HMIS-X</b>	Ask Supervisor	<b>TSCA</b>	Toxic Substances Control Act
<b>HS</b>	California Hazardous Substance under the Clean Water Act	<b>TWA</b>	Time Weighted Average (8 hours) - NOISH (10 hours)
<b>IG / IH</b>	(IG = Ingested) / (IH = Inhaled - Vapors / Mists / Gas)	<b>UEL</b>	Upper Explosive Limit

**Direct Colors LLC**

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.