

SAFETY DATA SHEET

Pigment #204

Revision Date 3/24/2022

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Pigment #204 **Item**

Product Use Coloring Agents, Pigments

Company Name Direct Colors LLC **Office** (877) 255-2656 ext.1
430 E 10th St
Shawnee OK 74801 **Web** www.DirectColors.com

EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053

SECTION – 2 HAZARDS INFORMATION

Pictogram



Signal Word None

Hazards **PHYSICAL / HEALTH / ENVIRONMENTAL HAZARD STATEMENTS**

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

HAZARD CATEGORY CLASSIFICATION **CODE**

No Category

Precautions **HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL**

	CODE
Keep out of reach of children	P102
Avoid breathing dust / fume / gas / mist / vapours / spray	P261
Do not get in eyes, on skin, or on clothing	P262
Wash thoroughly after handling	P264
Do not eat, drink or smoke when using this product	P270
Avoid release to the environment	P273
Wear protective gloves / protective clothing / eye protection / face protection	P280
Wear respiratory protection	P284
Store in a closed container	P404
Dispose of material in accordance with all State and Federal Guidelines and Regulations	P501

SECTION – 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
Chromium Oxide	Chrome Oxide Green			100%

SECTION – 4 FIRST AID MEASURES

Eye Contact Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

Skin Contact Wash with soap and water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek medical aid

Inhaled Not applicable under normal use. If irritation is experienced, move person to fresh air

Ingested DO NOT INDUCE VOMITING, rinse mouth with water, and drink small quantities of water, Call a physician, or poison control center, and get medical attention, If victim feels nauseous stop drinking, If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Important Effects No additional effects beyond what is listed above

Important Symptoms No additional symptoms beyond what is listed above

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Explosion Hazard Not applicable

Hazardous Decomposition None known

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Follow all safety precautions, Wear Personal Protective Equipment, Do not walk through spill

Protective Equipment Safety Glasses, Gloves, Dust Respirator

Containment Prevent spill from entering the environment

Clean Up Procedures Sweep up and place in disposal container, Mop area with clean water

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Do not get in eyes, on skin, or clothing, Avoid breathing dust, Use appropriate safety equipment, and adequate ventilation, Do not smoke, eat or drink while using, Wash thoroughly after handling, Avoid release to the environment, Empty containers retain product residue (vapors, liquid or solids) observe all precautions when handling
Storage	Keep container closed when not in use, Keep only in original container, Store away from incompatible materials
Incompatible Materials	None known

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA (TWA 8)	OSHA (CEIL)	NIOSH (TWA 10)	NIOSH (STEL)	Significant Exposure
Chromium Oxide	(as Cr) 0.5mg/m ³		(as Cr) 0.5mg/m ³				

PERSONAL PROTECTION

HMIS HAZARD RATINGS	
Health	0
Flammability	0
Reactivity	0
Personal Protection	F

Eyes	Wear safety glasses or goggles or face shield when handling / using this material
Hands	Wear chemical resistant impervious gloves when handling / using this material
Lungs	Wear a dust mask designed to protect against inhalation of dust particles or if irritation is experienced
Body	"If Situation Requires" - Wear chemical resistant impervious protective clothing if exposure is considered to be likely when handling / using this material
Response	Access to an eye wash station is a recommended safety precaution for handling / using this type of material
Ventilation	Ventilate to keep dusts of this material below the lowest ppm listed above, If over Threshold Limit Value use a MSHA / NIOSH approved High-efficiency particulate respirator with full facepiece, The safety equipment information supplied is for general use and may not insure complete safety for the user, "Consulting with a Safety Equipment Supplier is recommended"

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	Not available	Specific Gravity / Density	5.22
Flammable Limits (v)	Not available	pH (± 0.3)	5.0 - 7.0
Auto-Ignition Temp.	Not available	Viscosity (mm²s / cSt)	NA
Physical State	Solid (Powder)	Melting / Freeze Point	2435°C (4415°F)
Appearance	Green	Boiling Point	4000°C (1013 hPa)
Odor	Odorless	Vapor Density (air=1)	ND
Odor Threshold	NA	Vapor Pressure (mmHg)	ND
Solubility	0% (Insoluble)	Evaporation Rate (nBuAc=1)	ND
Volatiles	0%	Partition Coefficient	ND
VOC	0%	Molecular Weight (g/mol)	151.99
LVP-VOC	0%	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity	No specific test data related to reactivity available for this product or its ingredients
Chemical Stability	Stable under normal ambient and anticipated conditions of use
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	None known
Hazardous Decomposition	None known

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Ingestion (Yes), Inhalation (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes	May cause mild eye irritation
Skin	May cause mild skin irritation
Inhalation	Dust may cause irritation
Ingestion	May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes	May cause eye irritation
Skin	May cause skin irritation
Inhalation	Dust may cause irritation
Ingestion	May be harmful if swallowed

Acute Tox Calculated **Oral:** > 5,000 mg/kg **Dermal:** > 5,000 mg/kg **Inhaled:** > 50 mg/l

Acute Tox Category Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled >5 mg/l) Dust or Mist

Target Organs	No target organs listed
Medical Conditions	No medical conditions known to be aggravated by the use of this product
Notes to Physician	Treat symptoms

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Chromium Oxide	LD50	Oral	Rat	> 5,000 mg/kg		(>2000 mg/kg)
	LC50	Inhaled	Rat	> 5.41 mg/l	(Dust) 4 Hours	(>5 mg/l)

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Chromium Oxide	LC50		Fish (Danio rerio)	> 10,000 mg/l	96 Hours	4 (>100 mg/l)
	EC50		Bacteria (Activated sludge)	> 10,000 mg/l	3 Hours	4 (>100 mg/l)
Presistence And Degradability	No data available					
Bioaccumulative Potential	No data available					
Mobility In Soil	No data available					
Other Adverse Effects	May be harmful to aquatic life					

SECTION – 13 DISPOSAL CONSIDERATIONS

Disposal Statement	DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations
Container Disposal	Empty containers retain product residue (vapors, liquid or solid) observe all precautions when handling, Triple rinse empty container then offer for recycling. If not available, puncture and dispose in a sanitary landfill
Material Disposal	Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste, Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

SECTION – 14 TRANSPORT INFORMATION**DOT CLASSIFICATION**

UN Number	Proper Shipping Name n.o.s. (Chemicals) or "Limits"					
Not Regulated	Not dangerous goods					
Hazard Class	Packing Group	Label Codes	Reportable Quantity (lb)	Response	Marine Pollutant	Hazard Label
None	None	None	None	128	No	
Additional Info:						

SECTION – 15 REGULATORY INFORMATION**TSCA**

<u>CHEMICAL NAME</u>	<u>Sec 8(b) Active Inventory</u>	<u>Sec 8(d) Health And Safety</u>	<u>Sec 4(a) Chemical Test Rules</u>	<u>Sec 12(b) Export Notification</u>
Chromium Oxide	Yes			

REPORTABLE QUANTITIES

<u>CHEMICAL NAME</u>	<u>Extremely Hazardous</u>	<u>Reportable Quantity</u>	<u>Emission Reporting</u>
	<u>EPCRA TPQ Sec 302</u>	<u>EPCRA RQ Sec 304</u>	<u>CERCLA RQ Sec 103</u>
None Listed			

SARA

<u>CHEMICAL NAME</u>	<u>Section 311</u>	<u>Section 311 / 312 Hazards</u>				
	<u>Hazardous Chemical</u>	<u>Acute</u>	<u>Chronic</u>	<u>Flammable</u>	<u>Pressure</u>	<u>Reactive</u>
None Listed						

RIGHT TO KNOW

<u>CHEMICAL NAME</u>	<u>STATE</u>												
	<u>CA</u>	<u>CT</u>	<u>FL</u>	<u>IL</u>	<u>LA</u>	<u>NJ</u>	<u>NY</u>	<u>PA</u>	<u>MI</u>	<u>MN</u>	<u>MA</u>	<u>RI</u>	<u>WI</u>
Chromium Oxide						Yes		Yes			Yes		

CALIFORNIA

WARNING: This Product can expose you to chemicals (Listed below) known to the State of California to cause cancer, birth defects or reproductive harm. For more information go to www.P65Warnings.ca.gov

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>Birth Defects</u>	<u>Reproductive Harm</u>	<u>Carcinogen</u>	<u>Developmental</u>
None Listed					

CLEAN AIR WATER ACTS		Clean Air Acts			Clean Water Acts		
CHEMICAL NAME	CAS #	HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:						
CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
None Listed						

SECTION – 16 OTHER INFORMATION**SDS LEGEND DESCRIPTION**

~	Approximately	KD	Kidney Damage (nephropathy)
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours) - NOISH (10 hours)
IG / IH	(IG = Ingested) / (IH = Inhaled - Vapors / Mists / Gas)	UEL	Upper Explosive Limit

Direct Colors LLC

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

-- End of Safety Data Sheet --