

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name	Antiquing™ Concrete Stain		Item
Product Use	(All Colors)		
Company Name	Concrete Stain & Dye Direct Colors LLC	Office	(877) 255-2656 ext.1
	430 E 10th St		
	Shawnee	OK 74801	Web www.DirectColors.com

EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053

SECTION – 2 HAZARDS INFORMATION

Pictogram


Signal Word **Danger**

Hazards **PHYSICAL / HEALTH / ENVIRONMENTAL HAZARD STATEMENTS**
HAZARD CATEGORY CLASSIFICATION
CODE

Combustible liquid

Category 4 Flammable Liquids

H227

May be fatal if swallowed and enters airways

Category 1 Aspiration Toxicity

H304

Precautions **HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL**
CODE

Keep out of reach of children

P102

Keep away from heat / sparks / open flames / hot surfaces – No smoking

P210

Avoid breathing dust / fume / gas / mist / vapours / spray

P261

Wash thoroughly after handling

P264

Do not eat, drink or smoke when using this product

P270

Wear protective gloves / protective clothing / eye protection / face protection

P280

In case of inadequate ventilation wear respiratory protection

P285

In case of fire: Use dry chemicals, CO2, alcohol foam. Water spray to cool or protect exposed materials

P370+P378

Store in a well-ventilated place. Keep cool

P403+P235

Store locked up

P405

Dispose of material in accordance with all State and Federal Guidelines and Regulations

P501

SECTION – 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
Odorless Mineral Spirits	Isoalkanes C10-C13, Hydrocarbon Solvent	68551-17-7		20 - 99%

SECTION – 4 FIRST AID MEASURES

Eye Contact	Immediately flush eyes with cold water for several minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid
Skin Contact	Wash with soap and water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek medical aid
Inhaled	Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention, Only give artificial respiration if breathing has stopped. Do not use mouth-to-mouth method if victim ingested or inhaled the substance, Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device
Ingested	DO NOT INDUCE VOMITING, rinse mouth with water, and drink small quantities of water, Call a physician, or poison control center, and get medical attention, If victim feels nauseous stop drinking, If vomiting occurs, keep head below hips to prevent aspiration into the lungs
Aspiration Hazard	Aspiration into the lungs can cause severe lung damage and is a medical emergency, If swallowed, vomiting may occur spontaneously, but DO NOT INDUCE. If vomiting occurs, keep head below hips to prevent aspiration into the lungs, Never give anything by mouth to an unconscious person. Call a physician or hospital emergency room immediately, If victim is drowsy or unconscious and vomiting, place on the left side with the head down. If possible, do not leave victim unattended and observe closely for adequacy of breathing
Important Effects	None known
Important Symptoms	None known

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media	Use DRY chemicals, CO2, alcohol foam. Water spray to cool or protect exposed materials
Explosion Hazard	Combustible liquid, May flash if ignited in an enclosed area, Containers may erupt during a fire when heated excessively

Hazardous Decomposition	Burning or thermal decomposition can produce, carbon oxides, nitrogen oxides
Protective Equipment	Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

FLAMMABLE LIQUIDS HAZARD CLASSIFICATION

Criteria Flash point > 60°C (140°F) and ≤ 93°C (200°F)

NFPA Class IIIA

GHS Category 4

WHMIS Class B-3

NFPA HAZARD RATINGS

Health 1

Flammability 2

Reactivity 0

Special Hazards

**SECTION – 6 ACCIDENTAL RELEASE MEASURES**

Emergency Procedures	Warn personnel to move away and stay upwind from spill, Stop spill or release only if it can be done safely, Keep unprotected personnel from entering the hazard area, Eliminate ignition sources and ventilate area
Personal Precautions	Follow all safety precautions, Wear Personal Protective Equipment, Do not walk through spill, Contaminated surfaces will be extremely slippery
Protective Equipment	Safety Glasses, Chemical Gloves, Approved Respirator, Chemical Apron, Rubber Boots
Containment	Use sand or inert non-combustible absorbent pads to prevent spill from spreading, Prevent spill from entering the environment, waterways, sewers, basements or confined areas
Clean Up Procedures	Use sand or inert non-combustible absorbent pads or material. Collect product using non-sparking tools and place into approved container for proper disposal
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations, Contact a licensed waste disposal contractor for proper disposal

SECTION – 7 HANDLING AND STORAGE

Handling	Keep away from incompatible materials, heat, sparks, electrical equipment, fire and all ignition sources, Do not get in eyes, on skin, or clothing, or breathe mist, vapor or fumes, Use appropriate safety equipment, and adequate ventilation, Do not smoke, eat or drink while using, Wash thoroughly after handling, Use only non-sparking tools, Avoid free fall of liquid, Ground containers when transferring, Empty containers are very hazardous, Do not flame cut, saw or drill. Refer to NFPA-704 and/or API RP 2003 for specific bonding and grounding requirements
Storage	Keep container closed when not in use, Store in a cool, well-ventilated area and away from incompatible materials, Store away from heat, sparks, open flames or hot surfaces, Store below 49°C (120°F) and in accordance with Class III A Combustible Liquids (GHS Category 4)
Incompatible Materials	Incompatible with, alkaline materials, bases, halogens, oxidizing agents, strong acids, strong oxidizing agents

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA (TWA 8)	OSHA (CEIL)	NIOSH (TWA 10)	NIOSH (STEL)	Significant Exposure
Odorless Mineral Spirits	None	Established					

PERSONAL PROTECTION

HMIS HAZARD RATINGS	
Health	1
Flammability	2
Reactivity	0
Personal Protection	H

Eyes	Wear safety glasses or goggles or face shield when handling / using this material
Hands	Wear chemical resistant impervious gloves when handling / using this material
Lungs	Wear a MSHA / NIOSH approved respirator at or above listed TLV's or if irritation is experienced
Body	"If Situation Requires" - Wear chemical resistant impervious protective clothing if exposure is considered to be likely when handling / using this material
Response	Access to a drench shower with eye wash station is a recommended safety precaution for handling / using this type of material
Ventilation	Ventilate to keep vapors of this material below the lowest ppm listed above, If over Threshold Limit Value use a MSHA / NIOSH approved respirator for organic vapor, supplied air or self-contained breathing apparatus

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	57°C (135°F)	Specific Gravity / Density	~ 0.82
Flammable Limits (v)	Lower 0.7%, Upper 5.0%	pH (± 0.3)	NA
Auto-Ignition Temp.	230°C (446°F)	Viscosity (mm²s / cSt)	ND
Physical State	Liquid	Melting Point	-90°C (-130°F)
Appearance	Varies	Boiling Point	117°C (242.6°F)
Odor	Solvent	Vapor Density (air=1)	~ 1.01
Odor Threshold	ND	Vapor Pressure (mmHg)	~ 4.5004 mmHg (0.6 kPa)
Solubility	< 1%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 99%	Partition Coefficient	ND
VOC	< 99%	Molecular Weight (g/mol)	~ 157.3
LVP-VOC	0%	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity	No specific test data related to reactivity available for this product or its ingredients
Chemical Stability	Stable under normal ambient and anticipated conditions of use
Hazardous Polymerization	Will not occur
Conditions To Avoid	Heat sources, sparks, flame or static discharge and incompatible materials
Incompatible Materials	Incompatible with, alkaline materials, bases, halogens, oxidizing agents, strong acids, strong oxidizing agents
Hazardous Decomposition	Burning or thermal decomposition can produce, carbon oxides, nitrogen oxides

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Ingestion (Yes "Aspiration Hazard"), Inhalation (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes	May cause eye irritation
Skin	Causes mild skin irritation
Inhalation	Not applicable
Ingestion	May be fatal if swallowed and enters airways, Symptoms may include, nausea, vomiting, abdominal pain

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes	Can cause eye irritation
Skin	Causes mild skin irritation, defatting of the skin which may lead to dermatitis
Inhalation	Mist, vapor or fumes may cause, respiratory irritation
Ingestion	May be fatal if swallowed and enters airways, Ingestion may affect, central nervous system, Symptoms may include, gastrointestinal irritation, nausea, vomiting, abdominal pain, central nervous system depression

Acute Tox Calculated	Oral: > 5,000 mg/kg	Dermal: > 5,000 mg/kg	Inhaled: > 100 mg/l
Acute Tox Category	Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled >20 mg/l) Vapors		
Target Organs	Skin, Upper Respiratory Tract, Eyes		
Medical Conditions	Preexisting, eye, skin, respiratory, disorders may be aggravated by exposure to this product		
Notes to Physician	Contains petroleum distillates, vomiting may cause aspiration pneumonia		

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Odorless Mineral Spirits	LD50	Oral	Rat	> 5,000 mg/kg		(>2000 mg/kg)
	LC50	Inhaled	Rat	> 20 mg/l	4 Hours (Vapor)	(>20 mg/l)
	LD50	Dermal	Rabbit	> 5,000 mg/kg		(>2000 mg/kg)

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Odorless Mineral Spirits	LD50	Rainbow Trout	(Oncorhynchus mykiss)	> 1,000 mg/l	96 Hours	4 (>100 mg/l)
	EC50	Water Flea	(Daphnia magna)	> 1,000 mg/l	48 Hours	4 (>100 mg/l)
Presistence And Degradability	Based on similar materials, this product will have a significant tendency to partition to air					
Bioaccumulative Potential	There is no evidence to suggest bioaccumulation will occur					
Mobility In Soil	Low solubility and floats and is expected to migrate from water to land, Expected to partition to sediment and wastewater solids					
Other Adverse Effects	May be harmful to aquatic life					

SECTION – 13 DISPOSAL CONSIDERATIONS

Disposal Statement	DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations
Container Disposal	Empty containers retain product residue (vapors, liquid or solid) observe all precautions when handling, Empty drums should be returned to distributor or taken to an approved waste handling site for recycling or disposal
Material Disposal	This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations (40 CFR 261) due to its ignitability and due to the composition containing in some or all of its components, Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste, The transportation, storage, treatment and disposal of RCRA waster material must be conducted in compliance with 40 CFR 262, 263, 264 and 270, Disposal can only occur in properly permitted facilities, Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

SECTION – 14 TRANSPORT INFORMATION**DOT CLASSIFICATION****UN Number**

Not Regulated

Proper Shipping Name n.o.s. (Chemicals) or "Limits"

Non Regulated Material

Hazard Class	Packing Group	Label Codes	Reportable Quantity (lb)	Response	Marine Pollutant	Hazard Label	Secondary
None	III	None	None	128	No		

Additional Info: For containers less than 119 gallons**SECTION – 15 REGULATORY INFORMATION****TSCA**

CHEMICAL NAME	Sec 8(b) Active Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Odorless Mineral Spirits	Yes			

REPORTABLE QUANTITIES

CHEMICAL NAME	Extremely Hazardous	Reportable Quantity	Emission Reporting	RCRA Code	RMP TQ Sec 112r
None Listed					

SARA

CHEMICAL NAME	Section 311	Section 311 / 312 Hazards	Pressure	Reactive
Odorless Mineral Spirits	Hazardous Chemical	Acute	Chronic	Flammable
	Yes			Yes

RIGHT TO KNOW

CHEMICAL NAME	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Odorless Mineral Spirits						Yes		Yes					

CALIFORNIA

WARNING: This Product can expose you to chemicals (Listed below) known to the State of California to cause cancer, birth defects or reproductive harm. For more information go to www.P65Warnings.ca.gov

CHEMICAL NAME	CAS #	Birth Defects	Reproductive Harm	Carcinogen	Developmental
None Listed					

CLEAN AIR WATER ACTS

CHEMICAL NAME	CAS #	Clean Air Acts	Clean Water Acts
Odorless Mineral Spirits	68551-17-7	HAP	Ozone Class 1
		Ozone Class 2	HS
			PP
			TP
			Yes (Oil)

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
None Listed						

SECTION – 16 OTHER INFORMATION**SDS LEGEND DESCRIPTION**

~	Approximately	KD	Kidney Damage (nephropathy)
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours) - NOISH (10 hours)
IG / IH	(IG = Ingested) / (IH = Inhaled - Vapors / Mists / Gas)	UEL	Upper Explosive Limit

Direct Colors LLC

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

-- End of Safety Data Sheet --