

SECTION - 1

SAFFTY DATA SHFFT

EverStain™ Concrete Acid Stain (Desert Amber) **Revision Date** 5/26/2021

Category 1

Category 4

Category 1

Category 1

Category 4

Category 1

Category 3

Category 1

Category 1

Category 1

Category 2

Category 2

Category 1

HAZARD CATEGORY CLASSIFICATION

Category 1B Skin & Eye (Corrosion)

Corrosive to Metals

Acute Toxicity (Oral)

Sensitization (Skin)

Eye (Damage / Irritation)

Acute Toxicity (Inhaled) DM

Sensitization (Respiratory)

STOT Single Exposure

Germ Cell Mutagenicity

Toxic To Reproduction

Acute Toxicity (Aquatic)

Chronic Toxicity (Aquatic)

P391

STOT Repeat Exposure

Carcinogenicity

CODE

H290

H302

H314

H317

H318

H332

H334

H335

H340

H350

H360

H401

H411

H372

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name EverStain™ Concrete Acid Stain (Desert Amber) Item

Product Use Concrete Stain & Dye

Company Name Direct Colors LLC Office (877) 255-2656 ext.1

430 E 10th St

Shawnee OK 74801 Web www.DirectColors.com

EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053

SECTION - 2 HAZARDS INFORMATION

Pictogram









Signal Word Danger

Hazards PHYSICAL / HEALTH / ENVIRONMENTAL HAZARD STATEMENTS May be corrosive to metals

> Harmful if swallowed Causes severe skin burns and eye damage May cause an allergic skin reaction Causes serious eye damage Harmful if inhaled

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause respiratory irritation May cause genetic defects

May cause cancer

May damage fertility or the unborn child

Toxic to aquatic life

Toxic to aquatic life with long lasting effects

Causes damage to organs through prolonged or repeated exposure

Collect spillage

Precautions HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL

CODE P102 Keep out of reach of children P201 Obtain special instructions before use P202 Do not handle until all safety precautions have been read and understood Keep only in original container P234 Avoid breathing dust / fume / gas / mist / vapours / spray P261 P262 Do not get in eyes, on skin, or on clothing Wash thoroughly after handling P264 P270 Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area P271 P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment P280 Wear protective gloves / protective clothing / eye protection / face protection P285 In case of inadequate ventilation wear respiratory protection Absorb spillage to prevent material damage P390

P403+P405+P233 Store in a well-ventilated place, Store locked up, Keep container tightly closed

P406 Store in corrosive resistant container P501 Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS#	<u>IMPURITIES</u>	PERCENT
Hydrochloric Acid	Muriatic Acid	7647-01-0	Water < 70%	1 - 15%
Iron(III) Chloride	Ferric Chloride Anhydrous	7705-08-0		1 - 20%
Sodium Dichromate	Sodium Dichromate Dihydrate ; Sodium Bichromate	7789-12-0		1 - 20%

SECTION - 4 FIRST AID MEASURES

Eye Contact Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove

contact lenses if present and easy to do without injury to the eye and continue rinsing, Obtain immediate medical

attention, preferably from an ophthalmologist or Emergency Room

Skin Contact Immediately wash contaminated skin with a nonabrasive soap and plenty of water for at least 15 minutes, Be sure

to remove any contaminated clothing and wash before reuse. If irritation is present or occurs obtain medical

attention

Inhaled Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention, If breathing is difficult, oxygen or artificial respiration should be administered by qualified personnel

Ingested DO NOT INDUCE VOMITING, unless directed to do so by medical personnel, If person is fully conscious, rinse

mouth with water, and drink small quantities of water, Call a physician, or poison control center, and get medical attention, If victim feels nauseous stop drinking, If vomiting occurs, keep head below hips to prevent aspiration into

the lungs

Important Effects Exposure can / may affect, eyes, kidneys, liver, respiratory system, skin

Important Symptoms Symptoms may include, allergic skin reactions, liver or kidney irregulatories, corrosive burns to skin or eyes,

allergic asthmatic breathing reactions

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Explosion Hazard Not applicable

Hazardous Decomposition Burning or thermal decomposition can produce, chlorine, hydrogen chloride gas, Iron oxides

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION - 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill, Stop spill or release only if it can be done safely, Keep unprotected personnel from

entering the hazard area, Ventilate area

Personal Precautions Follow all safety precautions, Wear Personal Protective Equipment, Do not walk through spill

Protective Equipment Safety Glasses, Gloves, Chemical Apron, Rubber Boots

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the

environment, NOTE: Organic spill kits that contain Floor-Dri, kitty litter, or sand should NOT be used because

Hydrogen Fluoride reacts with silica to produce silicon tetrafluoride, a toxic gas

Clean Up Procedures Neutralize spill with soda ash, lime, sodium bicarbonate, or a spill absorbent specified for Hydrogen Fluoride. With

clean shovel, carefully place material into clean appropriate waste disposal unit. Flush spill area with water, NOTE:

Neutralized Hydrofluoric Acid can still be Toxic, observe all safety precautions

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Do not get in eyes, on skin, or clothing, Avoid breathing mist, vapors or fumes, Use appropriate safety equipment,

and adequate ventilation, Do not smoke, eat or drink while using, Wash thoroughly with soap and water after

handling, Avoid release to the environment

Storage Keep container closed when not in use, Store in a cool place away from incompatible materials, Store in corrosive

resistant container

Incompatible Materials Incompatible with, amines, bases, hexalithium disilicide, metal acetylides, permanganates, strong oxidizing agents,

alkaline earth metals

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS							Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA (TWA 8)	OSHA (CEIL)	NIOSH (TWA 10)	NIOSH (STEL)	Exposure
Hydrochloric Acid		2 ppm (CEIL)		5 ppm (7 mg/m³)		5 ppm (CEIL)	ED,SD,RT
Iron(III) Chloride			(as Fe) 1 mg/m ³				
Sodium Dichromate	(as Cr) 0.05 mg/m ³	(as Cr VI) 0.001 mg/m³	(as Cr) 0.005 mg/m ³	(as Cr VI) 0.001 mg/m³	(as Cr) 0.001 mg/m ³		

PERSONAL PROTECTION



HMIS HAZARD RATINGS
Health
Flammability
Reactivity
O
Personal Protection
H

Eyes Wear safety glasses or goggles or face shield when handling / using this material Wear chemical resistant impervious gloves when handling / using this material

Lungs Wear a MSHA / NIOSH approved respirator at or above listed TLV's or if irritation is experienced

Body "If Situation Requires" - Wear chemical resistant impervious protective clothing if exposure is considered to be likely when

handling / using this material

Feet "If Situation Requires" - Wear chemical resistant impervious footwear if exposure is considered to be likely when handling

/ using this material

Response Access to a drench shower with eye wash station is a recommended safety precaution for handling / using this type of

material

Ventilate to keep vapors of this material below the lowest ppm listed above, If over Threshold Limit Value use a MSHA /

NIOSH approved respirator for organic vapor, supplied air or self-contained breathing apparatus

Revision Date

5/26/2021

SECTION - 9 PHYSICAL AND CHEMICAL PROPERTIES Flash Point > 93.3°C (200°F) - TAG Closed Cup Specific Gravity / Density ~ 1.152

Flammable Limits (v)	ND	pH (± 0.3)	< 2.0
Auto-Ignition Temp.	ND	Viscosity (mm²s / cSt)	ND
Physical State	Liquid	Melting Point	ND
Appearance	Amber	Boiling Point	ND
Odor	Acidic	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mmHg)	ND
Solubility	< 93%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 90%	Partition Coefficient	ND
VOC	0%	Molecular Weight (g/mol)	~ 40.34
LVP-VOC	0%	Decomposition Temperature	ND

SECTION - 10 STABILITY AND REACTIVITY

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible with, amines, bases, hexalithium disilicide, metal acetylides, permanganates, strong oxidizing agents, Incompatible Materials

alkaline earth metals

Hazardous Decomposition Burning or thermal decomposition can produce, chlorine, hydrogen chloride gas, Iron oxides

TOXICOLOGICAL INFORMATION SECTION - 11

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Ingestion (Yes), Inhalation (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eve damage

Skin May cause allergic skin reaction, Can cause serious skin damage

Inhalation Harmful if inhaled, Mist, vapor or fumes may cause, respiratory irritation, allergic reactions, breathing difficulties

Ingestion Harmful if swallowed, May affect target organs

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, corneal injury, partial or complete blindness

Skin May cause allergic skin reaction, Causes serious skin damage, ulcerations, corrosive burns

Harmful if inhaled, Mist, vapor or fumes may cause, respiratory irritation, allergic reactions, asthmatic symptoms, May Inhalation

affect target organs, respiratory system, liver, kidneys

Harmful if swallowed, Ingestion may affect, liver, kidneys, respiratory system, Symptoms may include, nausea, Ingestion

vomiting, abdominal pain, liver or kidney irregulatories

Acute Tox Calculated 600 mg/kg **Dermal:** 12,195 mg/kg Inhaled: 1.7 mg/l

Category 4 (Oral >300, ≤2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Category 4 (Inhaled >1.0, ≤5 mg/l) Dust or Mist **Acute Tox Category**

Additional Info

Target Organs Kidneys, Liver, Mucous Membranes, Skin, Eyes, Respiratory System

Medical Conditions Preexisting, skin, liver, kidney, respiratory, mucous membranes, disorders may be aggravated by exposure to this

product

Notes to Physician Treat symptoms, No specific recommendations known

<u>CARCINOGENIC – This product contains concentrations above 0.1% of the following:</u>

CHEMICAL NAME IARC GHS Category NTP **ACGIH** K (Known to be) A1 (Confirmed for human) 1 (Proven for human) Category 1B Sodium Dichromate

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

Yes Yes Sodium Dichromate

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category
Hydrochloric Acid	LD50	Oral	Rat	700 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rat	5,010 mg/kg		(>2000 mg/kg)
	LC50	Inhaled	Rat	781 mg/l	4 Hours (Mist)	(>20 mg/l)
Iron(III) Chloride	LD50	Oral	Rat	316 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rat	> 2,000 mg/kg		(>2000 mg/kg)
Sodium Dichromate	LD50	Oral	Rat	50 mg/kg		2 (>5, ≤50 mg/kg)
	LC50	Inhaled	Rat	0.124 mg/l	4 Hour (Dust)	1 (≤0.05 mg/l)
	LD50	Dermal	Rabbit	1000 mg/kg		4 (>1000, ≤2000 mg/kg)

SECTION – 12 ECOLOGICA	AL INFORMATI	ON			
CHEMICAL NAME	<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	GHS Category
Hydrochloric Acid	LC50	Mosquito Fish (Gambusia affinis)	282 mg/l	96 Hours	4 (>100 mg/l)
Iron(III) Chloride	LC50	Bluegill (Lepomis macrochirus)	20.3 mg/l	96 Hours	3 (>10, ≤100 mg/l)
	EC50	Water flea (Daphnia magna)	12.9 mg/l	48 Hours	3 (>10, ≤100 mg/l)
Sodium Dichromate	LC50	Fathead Minnow (Pimephales promelas)	33.2 mg/l	96 Hours	3 (>10, ≤100 mg/l)
	EC50	Green Algae (Selenastrum capricorn)	0.217 mg/l	96 Hours	1 (≤1 mg/l)
	EC50	Water Flea (Daphnia magna)	0.112 mg/l	48 Hours	1 (≤1 mg/l)
Presistence And Degradability	When rele	eased into the soil, this material is not expe	cted to biodegra	ade	
Bioaccumulative Potential	Has low p	otential for bioaccumulation due to its high	solubility in wat	er	
Mobility In Soil	This mate	rial is a mobile liquid			
Other Adverse Effects	Toxic to a	quatic life with long lasting effects			

SECTION - 13 DISPOSAL CONSIDERATIONS

DISPOSAI STATEMENT DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

Container Disposal Empty containers retain product residue (vapors, liquid or solid) observe all precautions when handling, Empty drums should be returned to distributor or taken to an approved waste handling site for recycling or disposal

Material Disposal

This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations (40 CFR 261) due to its composition containing in some or all of its components, Under RCRA rules, it is the

responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste, Chemical additions, processing or otherwise altering this material may make the waste management

information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

<u>UN Number</u> <u>Proper Shipping Name</u> n.o.s. (Chemicals) or "Limits"

UN 3264 CORROSIVE, LIQUID, ACIDIC, INORGANIC, n.o.s. (Hydrochloric Acid, Sodium Dichromate)

Hazard ClassPacking GroupLabel CodesReportable Quantity (lb)ResponseMarine PollutantHazard LabelSecondary8IICorrosive Liquid> (40,000)154No

Additional Info:

SECTION - 15	REGULATORY INFORMATION				
TSCA					
CHEMICAL NAME	Sec 8(b) Ac	tive Inventory Sec 8(d) H	ealth And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Hydrochloric Acid	Υ	'es			
Iron(III) Chloride	Υ	'es			
Sodium Dichromate	<u> </u>	'es			
DEBORTARI E QUAN	TITIES Fortune and			Fusianian Demantian	

REPORTABLE QUANTITIES	Extremely I	Extremely Hazardous		Emission Reporting		
CHEMICAL NAME	EPCRA TPQ Sec 302	EPCRA RQ Sec 304	CERCLA RQ Sec 103	TRI Sec 313	RCRA Code	RMP TQ Sec 112r
Hydrochloric Acid			5000			
Iron(III) Chloride			1000			
Sodium Dichromate				Yes		

SARA	Section 311		Section	311 / 312 Hazards		
CHEMICAL NAME	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive
Hydrochloric Acid	Yes	Yes				
Iron(III) Chloride	Yes	Yes				
Sodium Dichromate	Yes	Yes	Yes			Yes

RIGHT TO KNOW					STATE								
CHEMICAL NAME	CA	СТ	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Hydrochloric Acid	Yes				Yes	Yes	Yes	Yes		Yes	Yes	Yes	
Iron(III) Chloride	Yes					Yes		Yes			Yes	Yes	
Sodium Dichromate								Yes					

WARNING: This Product can expose you to chemicals (Listed below) known to the State of California to cause cancer, birth defects or reproductive harm. For more information go to www.P65Warnings.ca.gov

CHEMICAL NAME	CAS#	Birth Defects	Reproductive Harm	Carcinogen	Developmental
Chromium Compounds				Yes	

EverStain™	Concrete	Acid	Stain	(Desert	Amber)
------------	----------	------	-------	---------	--------

Page 5 of 5

Revision Date

5/26/2021

CLEAN AIR WATER ACTS			Acts	Clean W	Clean Water Acts		
CHEMICAL NAME	CAS#	HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
Hydrochloric Acid	7647-01-0	Yes					

INTERNATIONAL REGULATIONS	 The components of this product are listed on the chemical inventories of the following countries: 						
CHEMICAL NAME	Australia	Canada Europe (EINECS)		Japan	Korea	UK	
Hydrochloric Acid	Yes	Yes	Yes	Yes	Yes	Yes	
Iron(III) Chloride	Yes	Yes	Yes	Yes	Yes	Yes	

SECTION - 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
~	Approximately	KD	Kidney Damage (nephropathy)
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours) - NOISH (10 hours)
IG / IH	(IG = Ingested) / (IH = Inhaled - Vapors / Mists / Gas)	UEL	Upper Explosive Limit

Direct Colors LLC

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.