

**SECTION - 1** 

# SAFETY DATA SHEET

EverStain™ Concrete Acid Stain (Shifting Sand) **Revision Date** 5/27/2021

Category 2

STOT Repeat Exposure

H373

**CHEMICAL PRODUCT AND COMPANY IDENTIFICATION** 

**Product Name** EverStain™ Concrete Acid Stain (Shifting Sand) Item

**Product Use** Concrete Stain & Dye

**Company Name** Direct Colors LLC Office (877) 255-2656 ext.1

430 E 10th St

Shawnee OK 74801 Web www.DirectColors.com

**EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053** 

#### SECTION - 2 HAZARDS INFORMATION

**Pictogram** 







Signal Word Danger

Hazards PHYSICAL / HEALTH / ENVIRONMENTAL HAZARD STATEMENTS

**HAZARD CATEGORY CLASSIFICATION** CODE Category 1 Corrosive to Metals H290 May be corrosive to metals H302 Category 4 Acute Toxicity (Oral) Harmful if swallowed Causes severe skin burns and eye damage Category 1B Skin & Eye (Corrosion) H314 Causes serious eye damage Category 1 Eye (Damage / Irritation) H318 Category 3 STOT Single Exposure H335 May cause respiratory irritation Category 2 Acute Toxicity (Aquatic) H401 Toxic to aquatic life Category 2 Chronic Toxicity (Aquatic) Toxic to aquatic life with long lasting effects H411

liver, nervous systems, by inhalation of dust / mist, or ingestion

May cause damage to organs through prolonged or repeated exposure

**Precautions** HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL

CODE P102 Keep out of reach of children P234 Keep only in original container Avoid breathing dust / fume / gas / mist / vapours / spray P261 Do not get in eyes, on skin, or on clothing P262 P264 Wash thoroughly after handling Do not eat, drink or smoke when using this product P270 P271 Use only outdoors or in a well-ventilated area Avoid release to the environment P273 Wear protective gloves / protective clothing / eye protection / face protection P280 P285 In case of inadequate ventilation wear respiratory protection Absorb spillage to prevent material damage P390 P391 Collect spillage

Store in a well-ventilated place. Store locked up. Keep container tightly closed P403+P405+P233

P406 Store in corrosive resistant container Dispose of material in accordance with all State and Federal Guidelines and Regulations P501

SECTION – 3 COMPOSI	TION INFORMATION	(Exact percentage of the listed chemicals of composition has been withheld as a trade secr						
CHEMICAL NAME	<b>COMMON NAME AND SYNONYMS</b>	CAS#	<u>IMPURITIES</u>	<b>PERCENT</b>				
Hydrochloric Acid	Muriatic Acid	7647-01-0	Water < 70%	1 - 15%				
Copper(II) Chloride Dihydrate	Cupric Chloride Dihydrate; Copper Chloride	10125-13-0		1 - 20%				
Iron(II) Chloride	Ferrous Chloride Tetrahydrate	13478-10-9		1 - 20%				
Manganese(II) Chloride	Manganese Dichloride	7773-01-5		1 - 10%				

#### **FIRST AID MEASURES SECTION - 4**

**Eye Contact** Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove

contact lenses if present and easy to do without injury to the eye and continue rinsing, Obtain immediate medical

attention, preferably from an ophthalmologist or Emergency Room

**Skin Contact** Immediately wash contaminated skin with a nonabrasive soap and plenty of water for at least 15 minutes. Be sure

to remove any contaminated clothing and wash before reuse, If irritation is present or occurs obtain medical

attention

Inhaled Not applicable under normal use. If irritation is experienced, move person to fresh air **SECTION - 5** 

**Revision Date** 

5/27/2021

Ingested DO NOT INDUCE VOMITING, unless directed to do so by medical personnel, If person is fully conscious, rinse mouth with water, and drink small quantities of water, Call a physician, or poison control center, and get medical attention. If victim feels nauseous stop drinking. If vomiting occurs, keep head below hips to prevent aspiration into

the lungs

Important Effects Exposure can / may affect, blood, digestive system, eyes, kidneys, liver, nasal septum, nervous systems,

respiratory, skin, spleen

Important Symptoms Symptoms Symptoms may include, liver or kidney irregulatories, digestive tract burns, corrosive burns to skin or eyes, respiratory irritation, blood disorders, neurological disorders, nasal septum perforation, spleen disorders

FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Explosion Hazard Not applicable

Hazardous Decomposition Burning or thermal decomposition can produce, chlorine, copper oxides, hydrogen chloride gas, Iron oxides,

magnesium oxides

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

#### SECTION - 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill, Stop spill or release only if it can be done safely, Keep unprotected personnel from

entering the hazard area, Ventilate area

Personal Precautions Follow all safety precautions, Wear Personal Protective Equipment, Do not walk through spill

Protective Equipment Safety Glasses, Gloves, Chemical Apron, Rubber Boots

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the

environment

Clean Up Procedures Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water,

Large Spills: Absorb spill with inert material, place in a chemical waste container, mop area with clean water

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

#### SECTION - 7 HANDLING AND STORAGE

Handling Do not get in eyes, on skin, or clothing, Avoid breathing mist, vapors or fumes, Use appropriate safety equipment,

and adequate ventilation, Do not smoke, eat or drink while using, Wash thoroughly with soap and water after

handling, Avoid release to the environment

Storage Keep container closed when not in use, Store in a cool place away from incompatible materials, Store in corrosive

resistant container

Incompatible Materials Incompatible with, alkalies, amines, bases, hexalithium disilicide, hydrogen peroxide, metal acetylides,

permanganates, potassium, sodium, strong acids, strong oxidizing agents, alkaline earth metals, aluminum, zinc

#### SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS							Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA (TWA 8)	OSHA (CEIL)	NIOSH (TWA 10)	NIOSH (STEL)	Exposure
Hydrochloric Acid		2 ppm (CEIL)		5 ppm (7 mg/m³)		5 ppm (CEIL)	ED,SD,RT
Copper(II) Chloride Dihydrate	(as Cu) 1 mg/m <sup>3</sup>		(as Cu) 1 mg/m³				Dust, Mist
Iron(II) Chloride	(as Fe) 1mg/m³						
Manganese(II) Chloride	0.1 mg/m <sup>3</sup>		5 mg/m³		1 mg/m³	3 mg/m³	CNS

#### **PERSONAL PROTECTION**



HMIS HAZARD RATINGS

Health
Flammability
Reactivity

Personal Protection

H

Eyes Wear safety glasses or goggles or face shield when handling / using this material Wear chemical resistant impervious gloves when handling / using this material

Lungs Wear a MSHA / NIOSH approved respirator at or above listed TLV's or if irritation is experienced

**Body** "If Situation Requires" - Wear chemical resistant impervious protective clothing if exposure is considered to be likely when

handling / using this material

Feet "If Situation Requires" - Wear chemical resistant impervious footwear if exposure is considered to be likely when handling

/ using this material

Response Access to a drench shower with eye wash station is a recommended safety precaution for handling / using this type of

naterial

Ventilation Ventilate to keep vapors of this material below the lowest ppm listed above, If over Threshold Limit Value use a MSHA /

NIOSH approved respirator for organic vapor, supplied air or self-contained breathing apparatus

**Physical State** 

**Appearance** 

# SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES Flash Point > 93.3°C (200°F) - TAG Closed Cup Flammable Limits (v) ND Auto-Ignition Temp. ND

Liquid

Beige

Specific Gravity / Density ~ 1.424
pH (± 0.3) < 2.0

Viscosity (mm²s / cSt) ND

Melting Point ND

Boiling Point ND

Vapor Density (air=1) ND

Vapor Pressure (mmHg) ND

 Odor
 Acidic
 Vapor Density (air=1)
 ND

 Odor Threshold
 ND
 Vapor Pressure (mmHg)
 ND

 Solubility
 < 92%</td>
 Evaporation Rate (nBuAc=1)
 ND

 Volatiles
 < 70%</td>
 Partition Coefficient
 ND

 VOC
 0%
 Molecular Weight (g/mol)
 ~ 61.45

VOC 0% Molecular Weight (g/mol) ~ 6
LVP-VOC 0% Decomposition Temperature ND

#### SECTION - 10 STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity available for this product or its ingredients

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, alkalies, amines, bases, hexalithium disilicide, hydrogen peroxide, metal acetylides,

permanganates, potassium, sodium, strong acids, strong oxidizing agents, alkaline earth metals, aluminum, zinc

Hazardous Decomposition Burning or thermal decomposition can produce, chlorine, copper oxides, hydrogen chloride gas, Iron oxides,

magnesium oxides

#### SECTION – 11 TOXICOLOGICAL INFORMATION

#### **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Ingestion (Yes), Inhalation (Yes)

#### **ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

Eyes Causes serious eye damage

Skin Can cause serious skin damage, dermatitis

Inhalation Mist, vapor or fumes may cause, respiratory irritation Ingestion Harmful if swallowed, May affect target organs

## CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, corneal injury, partial or complete blindness

Skin Causes serious skin damage, dermatitis, ulcerations, corrosive burns

Inhalation Mist, vapor or fumes may cause, respiratory irritation, nasal septum perforation

**Ingestion** Harmful if swallowed, Ingestion may affect, liver, kidneys, spleen, blood, nervous system, Symptoms may include,

digestive tract burns, nausea, vomiting, liver or kidney irregulatories, neurological disorders, spleen disorders

Acute Tox Calculated Oral: 1,400 mg/kg Dermal: 7,034 mg/kg Inhaled: > 20 mg/l

**Acute Tox Category** 

Category 4 (Oral >300, ≤2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled >5 mg/l) Dust or Mist

**Additional Info** 

Target Organs Blood, Kidneys, Liver, Skin, Spleen, Eyes, Respiratory System, Nervous Systems, Nasal Cavities

Medical Conditions Preexisting, eye, skin, liver, kidney, blood, respiratory, spleen, nervous systems, sinus, disorders may be aggravated by

exposure to this product

Notes to Physician Treat symptoms, No specific recommendations known

#### CARCINOGENIC - This product contains concentrations above 0.1% of the following:

 CHEMICAL NAME
 NTP
 ACGIH
 IARC
 GHS Category

 None Listed
 NA
 NA
 NA
 NA

### MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

#### **COMPONENTS ACUTE TOXICITY**

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	<b>GHS Category</b>
Hydrochloric Acid	LD50	Oral	Rat	700 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rat	5,010 mg/kg		(>2000 mg/kg)
	LC50	Inhaled	Rat	781 mg/l	4 Hours (Mist)	(>20 mg/l)
Iron(II) Chloride	LD50	Oral	Rat	500 mg/kg		4 (>300, ≤2000 mg/kg)
Manganese(II) Chloride	LD50	Oral	Rat (F)	236 mg/kg		3 (>50, ≤300 mg/kg)
Copper(II) Chloride Dihydrate	LD50	Oral	Rat	584 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	1224 mg/kg		4 (>1000, ≤2000 mg/kg)

1 ugc + 01 0		Everotain Gonorete Adia Otain (Or	mang Jana,	1101131	on bate or 217 E o E 1
SECTION – 12 ECOLOGICA	L INFORMA	TION			
CHEMICAL NAME	<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	<b>GHS Category</b>
Hydrochloric Acid	LC50	Mosquito Fish (Gambusia affinis)	282 mg/l	96 Hours	4 (>100 mg/l)
Iron(II) Chloride	LC50	Japanese Ricefish (Oryzias latipes)	46 mg/l	96 Hours	3 (>10, ≤100 mg/l)
	EC50	Green Algae (Pseudokirchneriella s.)	6.9 mg/l	72 Hours	2 (>1, ≤10 mg/l)
	EC50	Water Flea (Daphnia magna)	19 mg/l	48 Hours	3 (>10, ≤100 mg/l)
Manganese(II) Chloride	EC50	Water Flea (Daphnia magna)	9.8 mg/l	48 Hours	2 (>1, ≤10 mg/l)
	EC50	Green Algea (Pseudokirchneriella s.)	3.83 mg/l	72 Hours	2 (>1, ≤10 mg/l)
Copper(II) Chloride Dihydrate	LC50	Rainbow Trout (Oncorhynchus mykiss)	0.286 mg/l	96 Hours	1 (≤1 mg/l)
	EC50	Algae (Pseudokirchneriella s.)	0.05 mg/l	72 Hours	1 (≤1 mg/l)
	NOEC	Water Flea (Daphnia magna)	0.368 mg/l	21 Days	1 (≤1 mg/l)
Presistence And Degradability	When re	eleased into the soil, this material is not expe	cted to biodegra	ade	
Bioaccumulative Potential	Has low	potential for bioaccumulation due to its high	solubility in wat	er	
Mobility In Soil	This ma	terial is a mobile liquid			
Other Adverse Effects	Toxic to	aquatic life with long lasting effects			

#### SECTION – 13 DISPOSAL CONSIDERATIONS

DISPOSAI STATEMENT DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

Container Disposal Empty containers retain product residue (vapors, liquid or solid) observe all precautions when handling, Empty

drums should be returned to distributor or taken to an approved waste handling site for recycling or disposal

This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations (40 CFR 261) due to its composition containing in some or all of its components, Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste, Chemical additions, processing or otherwise altering this material may make the waste management

information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

#### SECTION – 14 TRANSPORT INFORMATION

#### **DOT CLASSIFICATION**

**Material Disposal** 

UN Number Proper Shipping Name n.o.s. (Chemicals ) or "Limits"

UN 3264 CORROSIVE, LIQUID, ACIDIC, INORGANIC, n.o.s.(Hydrochloric Acid, Copper(II) Chloride)

Hazard ClassPacking GroupLabel CodesReportable Quantity (Ib)ResponseMarine PollutantHazard LabelSecondary8IICorrosive Liquid(57) = 10 Cupric Chloride154No

**Additional Info:** 

None Listed

SECTION - 15 REGULATORT	INFORMATION			
TSCA				
CHEMICAL NAME	Sec 8(b) Active Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Hydrochloric Acid	Yes			
Iron(II) Chloride	Yes			
Manganese(II) Chloride	Yes			
REPORTABLE QUANTITIES	Extremely Hazardous	Reportable Quantity	Emission Reporting	

REPORTABLE QUANTITIES	Extremely I	Hazardous	Reportable Quantity	<b>Emission Reporting</b>		
CHEMICAL NAME	EPCRA TPQ Sec 302	EPCRA RQ Sec 304	CERCLA RQ Sec 103	TRI Sec 313	RCRA Code	RMP TQ Sec 112r
Hydrochloric Acid			5000			
Cupric Chloride			10	Yes		

<u>SARA</u>	Section 311 / 312 Hazards					
CHEMICAL NAME	<b>Hazardous Chemical</b>	Acute	Chronic	Flammable	Pressure	Reactive
Hydrochloric Acid	Yes	Yes				
Iron(II) Chloride	Yes	Yes	Yes			
Manganese(II) Chloride	Yes	Yes				

RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	СТ	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Hydrochloric Acid	Yes				Yes	Yes	Yes	Yes		Yes	Yes	Yes	
Manganese(II) Chloride								Yes					

CALIFORNIA	WARNING: This Product car defects or reproductive harn	expose you to chemican. For more information	als (Listed below) known to go to www.P65Warnings.ca	the State of California	to cause cancer, birth
CHEMICAL NAME	CAS#	Birth Defects	Reproductive Harm	Carcinogen	Developmental

EverStain™	Concrete	Acid S	tain (	Shifting	Sand
------------	----------	--------	--------	----------	------

Page 5 of 5

Revision Date 5/27/2021

CLEAN AIR WATER ACTS	N AIR WATER ACTS			Clean Air Acts			
CHEMICAL NAME	CAS#	HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
Hydrochloric Acid	7647-01-0	Yes					

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:							
CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK	
Hydrochloric Acid	Yes	Yes	Yes	Yes	Yes	Yes	
Iron(II) Chloride	Yes	Yes	Yes	Yes	Yes	Yes	

## SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
~	Approximately	KD	Kidney Damage (nephropathy)
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours) - NOISH (10 hours)
IG / IH	(IG = Ingested) / (IH = Inhaled - Vapors / Mists / Gas)	UEL	Upper Explosive Limit

#### **Direct Colors LLC**

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.